



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2015/830

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name : TOTAL CAR WAX SHAMPOO  
Product code : xx9201035

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Cleaning agent. PC0 Other. Car maintenance.

### 1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Nederland BV  
Industrieweg 30  
3762 EK Soest, The Netherlands  
Telephone : +31-35 7604900  
E-mail : msds@kemetyl.com  
Website : www.kemetyl.com

### 1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31-35-6099310

(During office hours only)

## SECTION 2 HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP classification : Skin irritation, category 2. Serious eye damage, category 1.  
(1272/2008/EC)

Human health hazards : Causes skin irritation. Causes serious eye damage.

Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives.

Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

### 2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Danger

H- and P-phrases :

H315	Causes skin irritation.
H318	Causes serious eye damage.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280 hands eyes	Wear protective gloves and eye protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2015/830

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Danger

H- and P-phrases :

- H318 Causes serious eye damage.
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P280 eyes only Wear eye protection.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.

Additional labelling (for all packaging sizes)

: Contains: Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs., compounds with triethanolamine .

Ingredient declaration according to Regulation EC 648/2004:

Contains:	Concentration (%)
Anionic surfactants	5 - 15
Non-ionic surfactants	< 5
Perfumes, 2-Bromo-2-nitropropane-1,3-diol, octylisothiazolinone, Methylchloroisothiazolinone, Methylisothiazolinone.	

### 2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs., compounds with triethanolamine	3 - < 5	-----	939-464-2		
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	1 - < 5	68891-38-3	500-234-8		01-2119488639-16
Sodium chloride	1 - < 5	7647-14-5	231-598-3	MAC	
Oxydipropanol	0,1 - < 1	25265-71-8	246-770-3	MAC	01-2119456811-38

Substance name	Hazard Class	H-phrases	Pictograms	
Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs., compounds with triethanolamine	Aquatic Chronic 3; Eye Dam. 1; Skin Corr. 1C	H314; H318; H412	GHS05	H315 : C >= 1 % H314 C : C >= 50 %
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Aquatic Chronic 3; Eye Dam. 1; Skin Irrit. 2	H315; H318; H412	GHS05	H319 : C >= 5 % H318 : C >= 10 %
Sodium chloride	-----	-----	-----	
Oxydipropanol	-----	-----	-----	



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2015/830

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

## SECTION 4 FIRST-AID MEASURES

### 4.1. Description of first aid measures

First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water before product dries up. Consult a doctor if irritation persists.
- Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor immediately.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Give condensed milk or a knob of butter. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.
- Skin contact : Irritant. May cause dry skin and redness.
- Eye contact : Strongly irritant. Irreversible effects on the eye/serious damage to eyes. May cause redness and severe pain.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

## SECTION 5 FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

Extinguishing media

- Suitable : Carbon dioxide (CO<sub>2</sub>). Foam. Dry chemical. Water fog.
- Not suitable : None known.

### 5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : None known.
- Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

### 5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material.



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2015/830

## 6.2. Environmental precautions

- Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike.
- Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

## 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

## 6.4. Reference to other sections

- Reference to other sections : See also section 8.

## SECTION 7 HANDLING AND STORAGE

### 7.1. Precautions for safe handling

- Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C).
- Recommended packaging : Keep only in the original container.
- Non recommended packaging : Steel (except stainless steel).

### 7.3. Specific end use(s)

- Use : Use only as directed. Do not mix with other products.

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

- Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m<sup>3</sup>):

Chemical name	Country	TWA 8 hour (mg/m <sup>3</sup> )	STEL 15 min (mg/m <sup>3</sup> )	Comments	Source
Sodium chloride		10	-	-	Dow chemical, Industrial Hygiene Guidelines
Oxydipropanol		67	-	-	MAC: DE

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs., compounds with tri-ethanolamine	Inhalation				4,1 mg/m <sup>3</sup>
	Dermal				5,29 mg/kg bw/day



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2015/830

Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Dermal				2750 mg/kg bw/day
Sodium chloride	Inhalation				175 mg/m3
	Dermal		295,52 mg/kg bw		295,52 mg/kg bw/day
Oxydipropanol	Inhalation		2068,62 mg/m3		2068,62 mg/m3
	Dermal				84 mg/kg bw/day
	Inhalation				238 mg/m3

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs., compounds with triethanolamine	Inhalation				1,01 mg/m3
	Dermal				1,2 mg/kg bw/day
	Oral				0,58 mg/kg bw/day
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Dermal				1650 mg/kg bw/day
	Inhalation				52 mg/m3
Sodium chloride	Oral				15 mg/kg bw/day
	Dermal		126,65 mg/kg bw		126,65 mg/kg bw/day
	Inhalation		443,28 mg/m3		443,28 mg/m3
Oxydipropanol	Oral		126,65 mg/kg bw		126,65 mg/kg bw/day
	Dermal				51 mg/kg bw/day
	Inhalation				70 mg/m3
	Oral				24 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs., compounds with triethanolamine	Water	0,268 mg/l	0,027 mg/l	
	Sediment	8,1 mg/kg		
	STP Soil			7 mg/l 35 mg/kg
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Water	0,24 mg/l	0,024 mg/l	
	Sediment	5,45 mg/kg	0,545 mg/kg	
Sodium chloride	Intermittent water			0,071 mg/l
	STP			10000 mg/l
	Soil			0,946 mg/kg
	Water	5 mg/l		19 mg/l
Oxydipropanol	Intermittent water			500 mg/l
	STP			4,86 mg/kg
	Soil			
	Water	0,1 mg/l	0,01 mg/l	
	Sediment	0,238 mg/kg	0,0238 mg/kg	
	Intermittent water			1 mg/l
	STP			1000 mg/l
Soil			0,0253 mg/kg	
	Oral			313 mg/kg food



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2015/830

## 8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



Body protection : Use of specific protective industrial clothing is not required for momentary use. Wear suitable protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345 in case of frequent or prolonged use and in case of large scale exposure. Suitable material: butyl. Indication of permeation breakthrough time: 6 hours.

Respiratory protection : Take care of sufficient ventilation.

Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: butyl. 0,7 mm. Indication of permeation breakthrough time: 6 hours.

Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance	: Liquid.	
Colour	: Yellow.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pH	: 7	
Solubility in water	: Soluble.	
Partition coefficient (n-octanol/water)	: Not applicable.	Contains surfactants. The O/W system emulsifies. Not measured. Not relevant for mixtures.
Flash point	: > 100 °C	Closed cup.
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 180 °C	
Boiling point/boiling range	: 100 °C	
Melting point/melting range	: 0 °C	
Explosive properties	: None known.	Does not contain explosives.
Explosion limits (% in air)	: Not known.	
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: 300 mm <sup>2</sup> /sec	(1 mm <sup>2</sup> /sec = 1cSt)
Viscosity (40°C)	: Not relevant.	The product contains < 10% substances having an aspiration hazard.
Vapour pressure (20°C)	: 2300 Pa	
Vapour density (20°C)	: > 1	The solvent content of this product is less than 1%.
Relative density (20°C)	: 1 g/ml	
Evaporation rate	: < 1	(n-butyl acetate = 1)

### 9.2. Other information

Other information : Not relevant.



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2015/830

## SECTION 10 STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity : See sub-sections below.

### 10.2. Chemical stability

Stability : Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

### 10.4. Conditions to avoid

Conditions to avoid : See section 7.

### 10.5. Incompatible materials

Materials to avoid : No specific recommendations.

### 10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

## SECTION 11 TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

#### Inhalation

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 5 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. No specific effects and/or symptoms are known.
- Corrosion/irritation : No specific effects and/or symptoms are known. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

#### Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Irritant. May cause redness. Prolonged contact may dry out and defat the skin.
- Sensitisation : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

#### Eye contact

- Corrosion/irritation : Risk of serious damage to eyes.

#### Ingestion

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2015/830

- Aspiration : Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

## Toxicological information:

Chemical name	Property		Method	Test animal
Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs., compounds with triethanolamine	LD50 (oral) - estimate	> 2000 mg/kg bw	Read across	Rat
	LD50 (dermal) - estimate	> 2000 mg/kg bw	Read across	Rat
	Skin irritation - estimate	Irritant	Read across	Rabbit
	Eye irritation - estimate	Severely irritant	Read across	Rabbit
	Genotoxicity - estimate	Not genotoxic	Read across	-----
	Skin sensitisation - estimate	Not sensitizing	Read across	Guinea pig
	NOAEL (oral) - estimate	85 mg/kg bw/d	Read across	Rat
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Mutagenicity	Negative	OECD 471	
	Eye irritation	Irritant	OECD 405	Rabbit
	NOAEL (development, oral)	> 1000 mg/kg bw/d	OECD 414	Rat
	NOAEL (fertility, oral)	> 300 mg/kg bw/d	OECD 416	Rat
	NOEL (carcinogenicity) - estimate	> 75 mg/kg.d	Read across	Rat
	LD50 (oral)	4100 mg/kg bw	OECD 401	Rat
	Skin irritation	Irritant	OECD 404	Rabbit
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	Genotoxicity - in vivo	Negative	OECD 475	Mouse
	LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rat
	NOAEL (oral)	> 225 mg/kg bw/d	OECD 408	Rat
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
LC50 (inhalation) - estimate	> 5000 mg/m3	Read across		

## SECTION 12 ECOLOGICAL INFORMATION

### 12.1. Toxicity

No ecotoxicological research has been carried out on this product.

- Ecotoxicity : Calculated LC50 (fish): 19 mg/l. Calculated EC50 (waterflea): 103 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

### 12.2. Persistence and degradability

- Persistence – degradability : No specific information known. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.





**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2015/830

## 12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

## 12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

## 12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

## 12.6. Other adverse effects

Other information : Not applicable.

## SECTION 13 DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.

Additional warning : None.

Waste water discharge : Do not dispose into the environment, in drains or in water courses.

European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

## SECTION 14 TRANSPORT INFORMATION

### 14.1. UN number

UN nr. : None.

### 14.2. UN proper shipping name

Transport name : Not regulated.

### 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : This product is not classified according to ADR/RID/ADN.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

### 14.6. Special precautions for user

Other information : Country specific variations may apply.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2015/830

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

## SECTION 15 REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

### 15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

## SECTION 16 OTHER INFORMATION

### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2015/830

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Skin Irrit. 2 : Calculation method.  
Eye Dam. 1 : Calculation method.

Full text of hazard classes mentioned in section 3:

Skin Corr. 1A/B/C : Skin corrosive, category 1A/B/C.  
Skin Irrit. 2 : Skin irritation, category 2.  
Eye Dam. 1 : Serious eye damage, category 1.  
Aquatic Chronic 3 : Hazardous to the aquatic environment — Chronic category 3.

Full text of H-phrases mentioned in section 3:

H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H412 Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

---

End of safety data sheet.

Print date : 2020-04-29